





CERTIFICATE OF APPROVAL

Product Conformity Certification

This is to certify that

SeAH Steel - Pohang Plant



at

136 Goedong-ro, Nam-Gu,

Pohang-si, Gyeongsangbuk-do, Korea, Republic of 37862

has satisfied the Authority that it complies with the rules of the ACRS Product Certification Scheme and the relevant ACRS Quality and Operations Assessment Procedures. Where appropriate, and as listed below, it has further satisfied the Authority that it manufactures and/or supplies products that conform with the Standards listed below, and is entitled to use the ACRS mark in relation to the products listed on this certificate.

SCOPE OF CERTIFICATION

Manufacture of cold-formed structural steel hollow sections to AS/NZS 1163:2016

plus the requirements of the "Materials" and "Fabrication" sections of AS 4100:2020 Steel structures, or AS/NZS 5131:2016 Structural steelwork – Fabrication and erection, or AS/NZS 5100.6:2017 Bridge design - Steel and Composite, or the Materials and Brittle Fracture section of NZS 3404:2009 Steel Structures Standard – Materials fabrication and construction.

This certificate remains the property of the Authority and is issued subject to the Regulations of the Authority.

CERTIFICATE NUMBER	VERSION	FIRST APPROVAL	ISSUE DATE	EXPIRY DATE
250802	1	04 August 2025	04 August 2025	31 December 2025

SIGNED FOR ACRS

Andrew Wheeler,

Executive Director

AUSTRALASIAN CERTIFICATION AUTHORITY FOR REINFORCING AND STRUCTURAL STEELS LTD | ABN: 40 096 692 545 | PO BOX 1369, CROWS NEST NSW 1585, AUSTRALIA

To check the validity of this certificate please scan the above Static QR Code with the ACRS Cloud App or visit www.steelcertification.com

Cert. Ref.: 215-01 250802 1



WWW.JASANZ.ORG/REGISTER
Accreditation certificate
number Z5221212AC







CERTIFICATE OF APPROVAL

Product Conformity Certification

Certificate Number: 250802 SeAH Steel - Pohang Plant

at

136 Goedong-ro, Nam-Gu, Pohang-si, Gyeongsangbuk-do, Korea, Republic of 37862



Products assessed by ACRS to the following Standards:

Cold-formed structural steel hollow sections to AS/NZS 1163:2016

- SHS: Size 200x200 mm to 400x400 mm Wall Thickness 4.0 to 12.5 mm Grades C350, C350L0
- RHS: Size 300x200 mm to 400x300 mm Wall Thickness 4.0 to 12.5 mm Grades C350, C350L0
- CHS: Size OD 42.4 to 610 mm Wall Thickness 2.3 to 19.1 mm Grades C350, C350L0

Approved Company Information

Marking



Tag

To check the validity of this certificate please scan the above Static QR Code with the ACRS Cloud App or visit www.steelcertification.com

Cert. Ref.: 215-01 250802 1



WWW.JASANZ.ORG/REGISTER
Accreditation certificate
number Z5221212AC